

EQUIPPED WITH A DEDICATED INDUSTRIAL CONTROL BOX

SMART INDUSTRIAL SPOT WELDING MACHINE

pneumatic pedal foot spot welding machine
support ODM OEM , extensive applications



circulating
cooling




Water cooled
movement



smart
adjustment




High
speed chip



PNEUMATIC PEDAL FOOT SPOT WELDING MACHINE

WELDING FEATURES CONTROL BOX



PNEUMATIC PEDAL FOOT SPOT WELDING MACHINE


WELDING FEATURES

CONTROL BOX

Products have always been on the path of innovation

	Model:	DN-40Q
	Input voltage:	AC380V/50HZ
	Input capacity:	40KVA
	Welding thickness:	0.1+0.1~3.0+3.0mm
	Unload voltage:	1.3~4.5V
	Cold water flow:	6 L/min
	Machine weight:	198(KG)
	Overall size:	980×550×1570(mm)

STANDARD
ACCESSORY



PNEUMATIC PEDAL FOOT SPOT WELDING MACHINE

WELDING FEATURES

CONTROL BOX

Products have always been on the path of innovation

	Model:	DN-50Q
	Input voltage:	AC380V/50HZ
	Input capacity:	50KVA
	Welding thickness:	0.1+0.1~4.0+4.0mm
	Unload voltage:	1.5~5.0V
	Cold water flow:	6 L/min
	Machine weight:	228(KG)
	Overall size:	980×550×1570(mm)

STANDARD
ACCESSORY

